

Antunes Surface Steamer (Tabletop)

Models SS-200TT and SS-400TT

Daily maintenance tasks

PR 31 D1 Clean the steamer

Quarterly maintenance tasks

PR 31 Q1 Season the steam generators

Model SS-200TT & SS-400TT



Hazards

These icons alert you to a possible risk of personal injury.

Equipment alerts

Look for this icon to find information about how to avoid damaging the equipment while doing a procedure.

Tips

Look for this icon to find helpful tips about how to do a procedure

Why	To ensure the unit is clean when preparing buns	
Time required	5 minutes to prepare	10 minutes to complete
Time of day	After close	For 24-hour restaurants: during breakfast menu
Hazard icons	 Chemicals	 Electricity
		 Hot Surfaces

Tools and supplies



Procedure

1. Turn off unit.

Turn the steamer's power switch to the off position. Unplug the power cord from the outlet. Allow the steamer to cool for at least 30 minutes.

-  Electricity
-  Hot Surfaces

The steamer surfaces are hot.



2. Clean the bun caps.

Open the bun caps. Clean both sides of the bun caps with a clean, sanitized towel sprayed with McD DR Solution.

Wipe the bun caps with a clean, sanitized towel sprayed with McD DR Solution (please note respective application time for disinfection) and rinse with a separate, clean, water-soaked towel.

-  **Equipment Alert**
- Do not use no-scratch pads or steamer brushes on plastic parts.

-  Chemicals
- McD DR Solution



3. Clean the flipper.

Open the flipper. Clean both sides of the flipper with a clean, sanitized towel sprayed with McD DR Solution.



Wipe the flipper with a clean, sanitized towel sprayed with McD DR Solution (please note respective application time for disinfection) and rinse with a separate, clean, water-soaked towel.

-  **Tip**
- If required, use a no-scratch pad to clean the flipper. Then repeat step 3.

-  Chemicals
- McD DR Solution

4. Remove and clean the steamer heat shield pad.

Remove the steamer heat shield pad. Clean one side of the pad with a clean, sanitized towel sprayed with McD DR Solution.

Next, wipe the steamer heat shield pad with a clean, sanitized towel sprayed with McD DR Solution (please note respective application time for disinfection) and rinse with a separate, clean, water-soaked towel.

Repeat this step on the other side of the steamer heat shield pad.

-  Chemicals
- McD DR Solution



continued ►

Clean the steamer (continued)

5. Clean the steam generators and diffusers.

Put on heat-resistant gloves.
Remove the diffusers.

Clean the steam generators with a paper towel dampened with water. Make sure all crumbs and seed are removed from the generators.

Clean the diffusers with a clean, sanitized towel sprayed with McD DR Solution.

Wipe the diffuser with a clean, sanitized towel sprayed with McD DR Solution (please note respective application time for disinfection) and rinse with a separate, clean, water-soaked towel.



Hot Surfaces

The steamer generator and diffusers may be hot.



Chemicals

McD DR Solution

6. Clean the top steamer surface.

Wipe the top steamer surface with a clean, sanitized towel sprayed with McD DR Solution.

Wipe the top steamer surface with a clean, sanitized towel sprayed with McD DR Solution (please note respective application time for disinfection) and rinse with a separate, clean, water-soaked towel.



Chemicals

McD DR Solution



7. Clean outside of steamer

Wipe the entire outside of the steamer with a clean, sanitized towel sprayed with McD DR Solution.

Wipe the entire outside of the steamer with a clean, sanitized towel sprayed with McD DR Solution (please note respective application time for disinfection) and rinse with a separate, clean, water-soaked towel.



Chemicals

McD DR Solution

8. Install the steamer heat shield pad and diffusers.

Place the steamer heat shield pad on the top of the steamer reversing the sides. Place the diffusers into the steam generators.

9. Close the flipper and bun caps.

Close the flipper and bun caps.



Why	Perform Quarterly, if needed, to ensure the unit is steaming properly	
Time required	5 minutes to prepare	10 minutes to complete
Time of day	After close	For 24-hour restaurants: during breakfast menu
Hazard icons	 Chemicals	 Electricity
		 Hot Surfaces

Tools and supplies



Procedure

1. Check for proper operation.

Turn the unit on and let it warm up. Steam 2 or 4 buns. If the unit steams the buns correctly, you do not need to continue.

If the buns are not steamed correctly, continue with this procedure.



2. Turn off the unit.

Turn the steamer's power switch to the off position. Unplug the power cord from the outlet. Allow the steamer to cool for at least 30 minutes.

 Electricity

 Hot Surfaces

The steamer surfaces are hot.



3. Open the bun caps, flipper, and remove the steamer heat shield pad.

Open the bun caps and flipper. Remove the steamer heat shield pad. Replace the heat shield pad if torn.



4. Wipe down the steam generators.

Put on heat-resistant gloves. Remove the diffusers.

Wipe the steam generators with a paper towel dampened with water. Be sure to remove all crumbs and seeds from the steam generators.

 Hot Surfaces

The steamer generator and diffusers may be hot.



5. Turn the unit on.

Plug in the power cord into the outlet. Turn the unit on and let it warm up.



6. Season the steam generators if too silver.

Fill a clean hot-drink cup or any clean container with tap water.

Put on heat-resistant gloves. Carefully pour a small amount of the water into the steam generators. Allow the water to boil off.

Do not press any buttons. Repeat this step as needed.

 Hot Surfaces

The water heats up quickly as it boils off. Use caution.



continued ▶

Season the steam generators (continued)

7. Test the unit.

Press the activation button to run a steam cycle. If the unit does not steam correctly, repeat steps 6 and 7.

If the unit still does not steam correctly, contact your Authorized Service Agency.

If the unit steams correctly, continue with this procedure.

★ Tip

The SS-200TT has one activation button. The SS-400TT has two, one on each side.



8. Turn off unit.

Turn the unit off when there is no more water in the steam generators.

★ Tip

Once seasoned, the steam generators will have a fine covering of minerals. This is required for proper steaming.



9. Wipe down the unit.

Put on heat-resistant gloves. Wipe down the top steam surface and the entire exterior of the unit with a clean, sanitized towel sprayed with McD DR Solution (please note respective application time for disinfection) and rinse with a separate, clean, water-soaked towel.



10. Install the steamer heat shield pad and diffusers.

Place the steamer heat shield pad on the top of the steamer, reversing sides. Place the diffusers into the steam generators.



11. Close the flipper and bun caps.

Close the flipper and bun caps.